CERTIFICATION MAXING/TR SMISSION (37 C.F.R. 1.8(a))

I hereby certify that this paper (along with any referred to as being transmitted therewith) is being deposited with the United States Postal Service on the date below as first class mail in an envelope addressed to: Mail Stop Non-Fee

Amendment, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.

Date: November 4, 2003

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant

Andreas Fellinger

Serial No.

09/308,408

Confirmation No.: 6097

TECHNOLOGY CENTER R3700

Filed

June 28, 1999

Title

STORAGE DEVICE FOR MEDICAL SWABS

Attorney File:

RO0206US.RCE (#90568)

Group Art Unit:

3728

Examiner

Shian Tinh Nhan Luong

INFORMATION DISCLOSURE STATEMENT **PURSUANT TO 37 CFR 1.97**

Mail Stop Non-Fee Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Dear Sir:

Under the provisions of 37 C.F.R. 1.56, 1.97 and 1.98, Applicant would like to call the Examiner's attention to the reference listed on the attached Form PTO-1449. A copy of the reference is enclosed in accordance with 37 C.F.R. 1.98.

In accordance with 37 C.F.R. 1.97(c)(2), this Information Disclosure Statement is being filed before the mailing date of any of a final action under §1.113, a notice of allowance under §1.311,

or an action that otherwise closes prosecution in the application, and it is accompanied by the fee set

11/07/2003 AADDF01 00000023 09308408

02 FC:1806

180.00 OP

forth in §1.17(p).

In accordance with 37 C.F.R. 1.97(g) and 37 C.F.R. 1.97(h), filing of this Information Disclosure Statement shall not be construed as a representation that a search has been made and shall not be construed to be an admission that the information cited in the statement is, or is considered to be, material to patentability as defined in 34 C.F.R. 1.56(b).

Respectfully submitted,

y: __**//**

D. Peter Hochberg, Reg. No. 24,603

Att. - PTO-1449 w/reference

D. Peter Hochberg Co., L.P.A. 1940 East Sixth Street - 6th Floor Cleveland, Ohio 44114-2294 (216) 771-3800